

# MC Flow Report Specification

## HUPX Day-Ahead Market

### DESCRIPTION

The DAM MC Flow report contains what cross-border flows are available in the Day-Ahead market on HUPX.

### REPORT PARAMETERS

<b>Concerned markets</b>	Day-Ahead Market
<b>Publication frequency</b>	Shortly after Final results publication for DAM
<b>Publicity</b>	Public
<b>File format</b>	xlsx
<b>File name format</b>	HUPX_MC_FLOW_YYYY.xlsx
<b>Path</b>	DAM_Flow/HUPX_MC_FLOW_YYYY.xlsx
<b>Unit</b>	Volume: MW, MWh

### STRUCTURE

The report contains ten-sheets. The odd sheets contain the export quantities, while the even sheets contain the import quantities.

<b>Name of sheets</b>	HU->AT, AT->HU, HU->HR, HR->HU, HU->RO, RO->HU, HU->SI, SI->HU, HU->SK, SK->HU
<b>Rows for days</b>	Starting with row 3
<b>Volumes per hour</b>	Starting with column "B"
<b>Daily total volume</b>	Starting after the volume of H25, "AA"

### CONTENT

The HU->XX sheets refer to the cross-border export flows of the given in a hour breakdown.

	A	B	C	D	E
	20.08.2024 MCC Volumes - HUPX DAM Auction - TSO Area HU-HR				
1					
2	<b>Delivery Day</b>	<b>H1</b>	<b>H2</b>	<b>H3</b>	<b>H4</b>
3	21.08.2024	629,6	564,1	559,6	586,2
4	20.08.2024	558,4	441,6	434,5	381,9
5	19.08.2024	594,7	498,0	427,6	279,8
6	18.08.2024	637,3	525,7	485,3	461,9
7	17.08.2024	590,7	501,9	424,7	373,2

The XX->HU sheets refer to the cross-border import flows of the given in hour breakdown.

	A	B	C	D	E
1	20.08.2024 MCC Volumes - HUPX DAM Auction - TSO Area AT-HU				
2	Delivery Day	H1	H2	H3	H4
3	21.08.2024	1521,4	1491,4	1397,8	1241,0
4	20.08.2024	1742,4	1639,8	1630,6	1656,9
5	19.08.2024	1651,7	1694,6	1688,7	1629,4
6	18.08.2024	1580,4	1632,7	1688,5	1586,7
7	17.08.2024	1400,3	1598,8	1673,9	1692,3

In the column after H25, Total Daily Volume is the total daily volume of all hours in MWh.

	W	X	Y	Z	AA
1					
2	H22	H23	H24	H25	Total Daily Volume
3	1801,1	1725,9	1744,6		30804,5
4	1584,6	1545,3	1577,2		33273,5
5	1113,5	1156,4	1180,2		28592,7
6	1723,3	1800,8	1785,8		31197,1
7	1609,3	1596,8	1568,9		31018,4

### IMPACT OF DST

- On the short clock change day, the hour H25 appear in the report but have no flow values.
- After the long clock change day, H3 hour columns are added to the report.